Copy **106** 7 Pages



PHOTOGRAPHIC INTERPRETATION REPORT


PROBABLE ATOMIC ENERGY COMPLEX UNDER CONSTRUCTION NEAR CHIH-CHIN-HSIA, CHINA,





Declass Review by NIMA/DOD

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



T- Company

GROUP 1
Excluded from automatic
engrading and declassification

PROBABLE ATOMIC ENERGY COMPLEX: UNDER CONSTRUCTION NEAR CHIH-CHIN-HSIA, CHINA,

25X1

25X1

25X1

25X1

25X1

25X1

SUMMARY

The probable atomic energy complex under construction near Chih-chin-hsia, China, is located about 15 nautical miles (nm) east-southeast of the town of Yu-men and 6 nm north of Chih-chin-hsia at 40-10N 97-25E (Figure 1). The complex is served by road and a branch line of the Lan-chou/Wu-lu-mu-chi (Urumchi) railroad. Included within the complex are a production area, a construction support and storage area including a thermal powerplant, a workshop area with adjacent water supply facilities, a main housing area, a clay pit area, and a possible waste disposal area (Figure 2).

Expansion of the complex has continued since photography which was the basis of a comprehensive report. I/ At that time, the nuclear implications of the complex were considered to be only suspect. Later photography, particularly that of indicates that this is a probable atomic energy complex with one small possible reactor building completed, a large probable reactor building under construction, and a possible chemical separation plant (Figure 2).


The growing importance of the complex is reflected in the considerable increase in housing facilities since

Since the barrenness of the immediate locale is not conducive to agriculture, it must be assumed that the large increase in personnel indicated by the new housing is associated solely with the activities of the complex.

The detailed analysis contained in this report is based on photography from which is superior to the photography of this installation from

PRODUCTION AREA

Since the three sections of the Production Area have been expanded and a fourth section has been added. The number of buildings in the area has increased markedly.



The selection of sites for Sections II and III has apparently been influenced by the prevailing winds, which are east-southeasterly or west-southwesterly in summer and southwesterly or northeasterly in winter. 2/

Section 1

The secured area of 1962 has been increased southeastward by about 20 percent, and the realigned security
wall now encloses an area of approximately 1,350 by
1,160 feet, with guard towers at all four corners. A separately secured area, measuring approximately 500 by 215
feet, is located east of the probable fabrication building
(item 1, Table 1 and Figure 3). The previously reported
two small mounds southwest of the probable fabrication
building are now incorporated with a tall structure, possibly for processing purposes (item 4). Three new buildings
have been erected in the extended south corner of the secured area. The largest of these (item 8, Table 1 and
Figure 3) may also be for fabrication or assembly purposes
and has a small associated possible fanhouse (item 9). A

new single-story building (item 11), possibly for storage, forms part of the southwestern side of the separately secured area. The "probable buildings" 1/ southeast of the probable fabrication building have now been identified as a secured site with a small T-shaped structure which is probably a low-voltage substation.

Considerable changes have been made outside the secured area of Section I since _______ The completed probable steamplant is now L-shaped. The single-story foot of the L may house a turbogenerator to provide auxiliary power. No smoke has been observed coming from the stack on photography covering the area.

A new housing area, replacing most of the tents observed in sunder development northwest of the secured area. Scars where tents were previously observed are visible. The new housing consists of two probably twostory apartment structures measuring blocks of single-story row dwellings measuring eight of which are in the foundation stage of construction. The configuration of a group of structures (pos-

sibly tents) northwest of the secured area has been altered

by the addition and removal of some items (Figure 3).

Section II

The secured area of Section II, which originally measured 890 by 680 feet, has been expanded northwest and southwest to measure approximately 1,385 by 1,290 feet (Figure 3). The area is now surrounded by a wall with a guard tower in each corner. Apparently the secured area is divided by fences into Subsections A, B, and C, of which A is the area previously reported.

Subsection A contains two major structures (items 1 and 2, Table 2 and Figure 3) which were reported earlier as one building. Building 1 (see inset A, Figure 3) has the appearance of a small reactor building, measuring approximately with a T-shaped extension, possibly for slug-removal, to the northwest. A stack, estimated to be 340 feet high and in diameter at the base, is



25X1

25X1

25X1 25X1

25X1

25×1

25X1


25X1

25X1

25X1

25X1

25X1



Approved For Release 2003/08/05 ; CIA-RDP02T06408R000800010039-0

25X1

25X1

25X1

Approximate measurements are given in inset B, Figure 3. No concrete work had reached A circular configuration about in diameter in one of the inner rooms may be the future foundation support for the reactor.

Although no firm evidence of preliminary construction of a stack can be observed, a partially roofed probable underground duct extends northeast of the possible reactor building site and leads to a possible fanhouse and a circular configuration which may indicate a stack under construction. A batch plant, sheds, and other signs of a construction project are present at the site. A new railroad spur. partially complete and partially under construction, leads northwest of Section III; construction has now reached a point about 3,000 feet northwest of the main road serving

A new housing area, similar to other housing areas in the overall complex, has been developed about 3,000 feet northeast of the access road to Section I. It consists of ten apartment-type buildings and four probable service

CONSTRUCTION SUPPORT AND STORAGE AREA

reveals no major changes in Section A, a probable cement plant; Section B, a probable ceramics plant; or Section C, the warehouse and offloading facility (Figure 2). In Section D, a housing and support facility, a new group of five small probable residential row buildings is located west of the housing previously reported in Section C. 1/ Five additional row buildings may be under

No significant changes in the buildings associated with the Thermal Powerplant were observed on photography of Neither smoke nor vapor could be seen coming from the stack and the cooling tower. At least two rail sidings for dumping ash have been added to the two sidings for this purpose observed in southeast of the powerplant.

Approved For Release 2003/08/05 : CIA-RDP02T06408R000800010039-0

- 3 -

25X1

25X1

25X1

25X1

25X1

25X1

25X1

35×1

25X1

25X1

NPIC/R-740/64

26X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25×1

25X1

25X1

25X1

25X1

25X1

25X1

Minor changes and some additional housing can be seen in the support areas around the powerplant.

WORKSHOP AREA

No significant change is visible in Section A in the area reported from photography of Figure 2). A new group of six similar housing units has been constructed between the older buildings and the main road serving the complex. No change is apparent in Section B. In Section C, three probable warehouse-type structures have been added about 800 feet southeast of the probable machine shop (Figure 2).

MAIN HOUSING AREA

Section A of the Main Housing Area has been expanded to the west of Section C, and buildings have been added within the original section (Figure 2). 1/ A group of seven apartment-type structures is under construction northwest of the administration building. About 74 small barracks, some rectangular and some U-shaped, have been built close together in an area west of the group of large apartments existing in There is evidence of a number of additional buildings under construction in this area. Directly west of the large apartment-type structures, three similar large buildings which may serve as a school have been erected. A large unidentified H-shaped building is under construction between Section A of the Main Housing Area and Section A of the Workshop Area.

No significant changes are evident in Sections B and C. In Section D a new housing development has been built to the south of Section C. The development contains at least 27 structures, including a group of 17 small apartments or barracks. Additional construction may be taking place in this section.

CLAY PIT AREA

No significant changes were observed in Section A. The presence of two coal piles near rail sidings in the section indicates continuing activity (Figure 2).

Section B exhibits no important change. In Section C an eighth housing unit has been added to the small support housing area northwest of the railroad station. A roughly

trapezoidal track, possibly for recreation, can be seen southwest of the support housing area.

A new extensive housing area (Section D) measuring about 1,500 by 1,100 feet has been built northwest of the clay pits in Section A, on the northwest side of the main access road from Section C, the station area, to the complex. The new area contains about 55 apartment-type structures, some of which are L-shaped, at least 2 support buildings, and 40 small square objects which may be buildings or tents.

Table 1. Description of Facilities in Section 1, Production Area (Items are keyed to Figure 3)

| [tom | Description Probable fatrication building, T-shaped, two or three stories | Dimensions (feet)* | | |
|------|---|-----------------------|---------------------|--|
| ı | | 495 x 75 (overall) | bar: | |
| 2 | Possible assembly or shipping building, probably two stories, tail served | 175 x 75 | 175 × 75 | |
| 3 | Stack; no evidence of smoke in | 155b | 155h | |
| 4 | Previously two small mounds; a tall struc- ture has been added over the west half of the mounds | _ | | |
| 5 | Warehouse-type building, rall served | 185×75 | 185 x 75 | |
| 8 | Possible administration or special storage facility, rail served | | 60 x 30 | |
| 7 | Warehouse-type building, rail served | 130 x 75 | 130×75 | |
| 8 | Possible fabrication or assembly building with two small projections on northeast face and vent on roof; apparently built at two different times because roof of south-eastern half is considerably lighter than that of northwestern half; probably mil served | - | | |
| 9 | Small possible fanhouse with probable vent approximately 70 feet high (from ground level) on roof | - | L | |
| 10 | Possible fabrication building, T-shaped | ~ | ber: | |
| 11 | Possible storage building | | | |
| 12 | Support building with roof vent | 100 x 40 | L | |
| | Support building | 100 x 40 85 x 40 | 100 x 40 65 x 40 | |

Table 2. Description of Facilities in Section II, Production Area (Items are keyed to Pigure 3)

| [tem | Description | Dimensions (feet)▼ | |
|------|--|--------------------|---|
| | Subsection A | | _ |
| 1 | Possible reactor building T-shaped possible alug-removal section | = [| |
| | Stack | - | |
| 2 | Possible chemical separation plant | | |
| | Northeast leg | 420 × 95 | |
| | Head section | - | |
| | Southwest log | 400 x 75 | |
| | Base of L | - 1 | |

- 4 -

Approved For Release 2003/08/05 - CIA-RD#02T06408R000800010039-0

Table 2. (Continued)

| item | Description Unidentified building | Dimensions (feet)* | |
|------|--------------------------------------|--------------------|-----------------------|
| а | | 170 × 80 | 180 × 90 |
| 4 | Unidentified building | 120 × 65 | 100 7.00 |
| 5 | New storage-type structure | | |
| 8 | Small unidentified building | | ł |
| | Subsection B | | |
| 7 | T-shaped fabrication-type atructure | | |
| | | | |
| 8 | Single-story unidentified building | _ | |
| | with tall vent on roof | | |
| 9 | Warehouse-type structure | _ | |
| | Subsection C | | |
| 10 | Irregular-chaped structure | | |
| | Northwest portion | _ | |
| | Southeast portion | - | |
| | | | <u> </u> |
| 11 | Probable building under construction | - | 185 x 60 (overall) |

COMPARISON WITH OTHER INSTALLATIONS

Section II of the Production Area, with its possible

reactor building and possible chemical separation plant, may be compared with other atomic energy installations in Communist China. 3/4/ The high-bay portion of the reactor building in Section C of the Peiping Institute of Atomic Energy 3/ measures The high-bay portion of the possible reactor building at Chih-chin-hsia measures The overall dimensions of the two structures (Peiping) and Chih-chinhsia). The high-bay portion of the possible reactor building at the Pao-tou Possible Plutonium Production Facility 4/ is larger than that of the possible reactor building at Chihchin-hsia; the high bay measures and the overall dimensions of the building are However, similarities exist between the processing building at Pao-tou, which measures and the possible chemical separation plant at Chih-chin-hsia, which measures (Figure 4). The configuration of the completed construction of the

large probable reactor building in Section III of the Production Area at Chih-chin-hsia suggests a similarity to some of the reactor buildings at the Kyshtym Atomic Energy Complex in the USSR (Figure 4). 5/6/

25×1

25X1

NPIC/R-740/64

25X1




FIGURE 3. LAYOUT OF PRODUCTION AREA. Insets show small possible reactor building, possible chemical separation plant, and large probable reactor building under construction.

-5-Approved For Release 2003/08/05 : CIA-RDF02105408R000800010039-0

25X1

25X1

35%

25%1

25X1

25X1

25X1 25X1

25X1

25X1


25X1

25X1 25X1

25X1 25X1

25×1 25×1 25×1

25X1 25X1



- 6 -Approved For Release 2003/08/05 : CIA-RDP02T05408R000800010039-0 25X1

25X1

25%1 25X1

35×1

25X1

25X1

Building Dimensions (feet)

25X1 Probable reactor building at Chih-chin-hsia, China

Reactor buildings at Kyshtym, USSR

II-A
II-B

Building Dimensions (feet)

II-8 185 × 160
190 × 160

In comparing the rate of progress in construction between the probable reactor building at Chih-chin-hsia and

ACIC. ONC F-7, 1st ed, Jan 60, scale 1:1,000,000 (CONFIDENTIAL)

the reactor building under construction in Reactor Area II at the Tomsk Atomic Energy Complex, USSR, 7/8/9/ it will be noted that work at the Chinese site appears to be progressing at a somewhat slower rate. Two modifying factors, however, must be kept in mind. First, Soviet construction relies on heavy construction equipment such as tower cranes, whereas in China far greater reliance is put on manpower. Second, it appears that much more of the building at Chihchin-hsia will be underground, possibly to conserve coolant

Reactor building under construction at Tomsk, USSR Probable runder cons Chih-chin-Ground scars and preliminary

-month interval)

excavation; no construction

Part of building above ground

Probable reactor building under construction at Chih-chin-hsia, China

Excavation amost complete; no construction

nonth interval)
Construction almost to
ground level

REFERENCES DOCUMENTS 1. NPIC. R-335/63, Suspect Atomic Energy Complex Under Construction Near Yu-men, China, 25X1 25X1 (TOP SECRET 2. CIA. NIS 40, Chapter II, Section 23, Western China and Mongalia, Weather and Climate, Aug 51 (CONFIDENTIAL) 3. NPIC. R-1598/68, Institute of Atomic Energy Near Peiping, China[25X1 25X1 4. NPIC. R-228/64, Possible Plutonium Production Facility Near Pag-ton, China 25X1 25X1 Apr 64 (TOP SECRET 5. NPIC. R-248/63, Reactor Area I, Kyshtym Atomic Energy Complex, USSR. Oct 63 (TOP SECRET 25X1 25X1 6. NPIC. R-281/63, Reactor Area II, Kyshtym Atomic Energy Complex, 魏1 Nov 63 (TOP SECRET 7. NPIC. R-99/62, Atomic Energy Installation, Tomsk, USSR, Changes Since 25X1 25X1 Jul 62 (TOP SECRET 8. NPIC. R-9/64, Atomic Energy Complex, Tomak, USSR, Jan 64 (TOP SECRET 25X1 9. NPIC. R-255/64, Atomic Energy Complex, Tomak, USSR, Apr 64 (TOP SECRET 25X1 REQUIREMENT CIA. C-SI4-81,558 MAPS OR CHARTS

NPIC PROJECT

N-752/64

-7-

Approved For Release 2003/08/05 : GIA RUP02T06408R300800010039-0

25×1

