

THIS FILE IS MADE AVAILABLE THROUGH THE DECLASSIFICATION EFFORTS AND RESEARCH OF:

THE BLACK VAULT

THE BLACK VAULT IS THE LARGEST ONLINE FREEDOM OF INFORMATION ACT / GOVERNMENT RECORD CLEARING HOUSE IN THE WORLD. THE RESEARCH EFFORTS HERE ARE RESPONSIBLE FOR THE DECLASSIFICATION OF THOUSANDS OF DOCUMENTS THROUGHOUT THE U.S. GOVERNMENT, AND ALL CAN BE DOWNLOADED BY VISITING:

[HTTP://WWW.BLACKVAULT.COM](http://www.blackvault.com)

YOU ARE ENCOURAGED TO FORWARD THIS DOCUMENT TO YOUR FRIENDS, BUT PLEASE KEEP THIS IDENTIFYING IMAGE AT THE TOP OF THE .PDF SO OTHERS CAN DOWNLOAD MORE!



PUBLIC AFFAIRS

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
1400 DEFENSE PENTAGON
WASHINGTON, DC 20301-1400

OCT 28 1996

Ref: 96-F-1828
GP96-110m

Mr. Mark Stevens
Greenpeace
1436 U Street NW
Washington, DC 20009

Dear Mr. Stevens:

This responds to your September 13, 1996, Freedom of Information Act (FOIA) request. Our September 20, 1996, interim response refers.

The enclosed documents are provided as responsive to your request. There are no charges for processing this request in this instance.

Sincerely,

A. H. Passarella
Director
Freedom of Information
and Security Review

Enclosures:
As stated

#840



Space Communications Architecture Development Overview

Background

The DoD Space Architect was established 27 September 1995 by the Under Secretary of Defense for Acquisition and Technology to consolidate the responsibilities for space missions and system architecture development into a single organization. I was directed that the immediate effort of the DoD Space Architect shall be to develop a future Military Satellite Communications architecture which encompasses core DoD capabilities; allied, civil, and commercial augmentation; and global broadcast capabilities. The DoD Space Architect will provide a set of alternatives to the Joint Space Management Board (JSMB) in July 1996 for their decision on the future MILSATCOM architecture.

The Joint Space Management Board (JSMB) was established on 13 December 1995 by the Secretary of Defense and the Director of Central Intelligence to ensure that defense and intelligence needs for space systems (including associated terrestrial-based subsystems) are satisfied within available resources, using integrated architectures to the maximum extent possible.

The DoD Space Architect established a MILSATCOM Architecture Development Team (ADT) to develop:

- Alternative architectures for a JSMB decision in July 1996
- Life cycle cost estimates for space, ground, and control systems
- Cost estimates and schedule opportunities for system transition
- Impacts, and interfaces to other architectures

Architecture Development Process

The DoD Space Architect's MILSATCOM Architecture Development Team (ADT) is developing multiple architecture alternatives, which will be refined into several distinct architecture constructs for detailed analysis and comparison. These will be presented to the JSMB in July 1996 for selection of the single DoD space communications architecture concept. The development process involves the engineers, analysts, planners, and war-fighters; as well as the senior managers of your organization. In addition, to support the significant and major architecture selection decision in July at the JSMB the DoD Space Architect will coordinate with the decision makers of organizations with interest or equities in space communications.



840

Joint Space Management Board


AGENDA

1030-1035	Opening Remarks	Co-chairs
1035-1040	Administrative Remarks Approval of Minutes Action Items	Exec Sec's

MILSATCOM

1040-1045	Introduction	Mr. Davis
1045-1055	Role of MilSatCom in DISN 7	LtGen Edmonds
1055-1105	MilSatCom Requirements 7	MajGen Donahue
1105-1205	MilSatCom Architecture Alternatives	MajGen Dickman 12:5 - 45
1205-1225	MilSatCom Plan and Recommendation 7	Mr. Davis
1225-1230	Closing Remarks	Co-chairs

#840



DOD

Space

Architect

**Department of Defense
Space Communications Architecture**

#840





Scope

- Future Objectives (2010-2025)
- Transition Goals & Strategies (2003-2015)
- Military owned & operated (MILSATCOM)
- Commercially owned & operated (Commercial)
- Other government systems
 - National systems
 - NASA

MILSATCOM Objectives 2010-2025

- Provide assured, secure communications
 - Right comm, right user, at the right time
 - Information services driven
 - » From protected voice to “Information Superiority”
- Fully integrate with the DISN
- Reduce communications “footprint” (terminals radios, antenna, RF signature, people, etc.)
- Be user friendly, interoperable


Legacy SATCOM 2003

<p>DSCS</p>  <p>SHF X-Band</p> <ul style="list-style-type: none"> • Med capacity • Limited protection • Approximately 1,000 terminals • Vehicle, ship/sub, fixed 	<p>Commercial</p>  <p>Ka, C-Band, Ku, L</p> <ul style="list-style-type: none"> • High Capacity • Little protection • Handhelds, vehicles, fixed
<p>UFO-E</p>  <p>UHF</p> <ul style="list-style-type: none"> • Low capacity • GBS • No protection • 1,000s of mobile terminals • Manpack, ships, aircraft 	<p>Milstar</p>  <p>EHF</p> <ul style="list-style-type: none"> • Low-medium capacity • Switched, protected, survivable • Approximately 1,000 terminals • Manportable, transportable, fixed


Total estimated cost, 1983-2003 ≥ \$50B (FY96\$)

Current MILSATCOM Satellite Inventory


(Mean Mission Duration - 100% Launch Success)




Architecture Considerations





Development of MILSATCOM Objectives



Requirements - Warfighters Vision/CRD

- Joint & Coalition
 - Interoperability
- Dominant Maneuver
 - Wide area, all echelons, netted

Mobile
- Precision Engagement
 - Information driven, sensor-to-shooter


High Capacity
- Full-Dimensional Protection
 - Secure, AJ, LPI/LPD, Assured Access

Protected & Survivable
- Focused logistics
 - Smaller footprint/airlift, less manning and O&S

Opportunities

- Breakthroughs in commercial SATCOM
 - Higher power, higher capability, higher weight, GEO S/C
 - Large constellations of simpler S/C at lower altitudes
 - Frequency reuse (cellular), on-board processing, crosslinks
 - Smaller, low cost terminals
 - Migration to Ka frequencies (adjacent to military Ka)
- Breakthroughs in related fields
 - “Slice technology”
 - Phased array antenna
 - Information handling
- Acquisition Reform

Architecture Alternatives





Comparative Analysis

	A Modernized Baseline	B Performance Optimized	C Military Core	D Commercial Centered
Performance & Utility	Green	Blue	Grn/Yel	Yel/Red
Acquisition Risk	Green	Yellow	Green	Green
20 Year LCC (FY96 \$)	\$55B	\$67B	\$51B	\$61B

Industry Findings

- Commercial market will not support Mobile Netted, Protected or Survivable communications services
- LCC of buying a system <1/2 the cost of leasing the same system
 - Cost can be somewhat reduced with long-term leasing
 - Lowest cost attained through procurement of a commercial-like system with military frequencies
- Significant technology will be demonstrated over the next 5-10 years
 - Switched, crosslinked, processed systems
 - Varied earth orbits, large constellations
 - Dynamic communications control, low cost/low O&M terminals

Cost Example - Modernized Baseline



Findings

Requirements/ Operations	Terminals	Space	Spectrum
--------------------------	-----------	-------	----------

- Assured access, protection (AJ & LPI), survivability and netted mobile services are critical to warfigthing
- Emerging Capabilities , such as MSS/GBS, and “Bandwidth on Demand,” are not reflected in “Weapon system” CONOPS
- 2003-2010 Force Structures presume availability of “today’s” types of services
- Operational Management is fragmented

Findings

Requirements/ Operations	Terminals	Space	Spectrum
--------------------------	-----------	-------	----------

- Over 100 types of terminals are fielded today
 - Force Structure drives quantities, types
 - Most terminals have been single purpose, single user class
- Terminals have not been treated as a “variable” in transitions, architectures
- O & S Costs are significant and not visible

Findings

Requirements/ Operations	Terminals	Space	Spectrum
--------------------------	-----------	-------	----------

- Technology growth is faster than our acquisition timeline
 - Some technologies will continue to be military led
- Many revolutionary systems (Iridium, Spaceway, TELEDISC, etc.) are med-high risk and not yet demonstrated
- Because of commercial demands and EELV, launch will not be a constraint or cost driver
- Replenishment for DSCS, UFO, Polar and Milstar II capabilities will be needed in 2003-2008
 - Timing will require operational management, risk trade-offs and possible “gapfiller” satellites

Findings

Requirements/ Operations	Terminals	Space	Spectrum
--------------------------	-----------	-------	-----------------

- New allocations very unlikely
- Today's frequencies have attributes not available in other military/commercial bands
- Ka provides great potential for commercial synergy (COTS, CRAF, Wideband Services)

Summary Findings

- Potential for improved capability, lower “unit cost” and significant changes in “how we fight” are enormous
- Future vision & doctrine will require more SATCOM than “evolution” will provide
- Changes to the ground segment are as critical as changes to the satellites
- Transition systems will be needed between the present and objective architecture

Transition Goals

- Ensure Continuity of Service through Satellite replenishment, operations management, or risk trade-offs
- Within limits of low-medium acquisition risk and acceptable funding, take significant steps toward MILSATCOM objectives, with no barriers to evolution
- Enable evolution to new Warfighting visions
 - Facilitate demonstrations and operational use
- Accelerate on-going changes in terminal developments toward flexibility, system efficiency
- Fully integrate into the overall communications architecture
- Take advantage of international cooperative opportunities

Evolution to MILSATCOM Objectives

Services and Attributes

	2003	Transition 2003-2015	Objective 2010-2025
Integration with DISN		X	X
Protected & Survivable	X	X	X
Mobile Users	X	X	X
High Capacity Users	X	X	X

Above 10 Mbps
Up to 10 Mbps
Up to 1.5 Mbps

Above 1.5 Mbps
Up to 1.5 Mbps
Up to 64 Kbps

At 100's Mbps
At 10's Mbps
Up to 1.5 Mbps


Protected & Survivable Service

- Architecture Goal
 - Ensure adequate protected communications to maintain freedom of action during deployment, maneuver, & engagement
- Transition Strategy
 - Continue to field a processed and crosslinked EHF system with improved capability
- Architect's Recommendations
 - Sustain Milstar II through DFS-6, new vehicle in 2005
 - Sustain EHF Polar capability through about 2010 (24 hr)
 - Investigate international cooperative efforts

EHF Space Systems Proposal

- 4 satellite constellation at geosynchronous orbit; 2 at HEO (polar)
 - MILSTAR I & II through 2004
 - Operational management until transition EHF flies
 - First polar launch in 1997
- Transition EHF System
 - First launch in 2005
 - MDR waveform supporting 6-8 Mbps
 - Backward compatible with MILSTAR II
 - Incremental development toward “objective” EHF system
 - 2nd & 3rd polar systems launch 2002 & 2003
- Objective EHF System
 - “Common” waveform
 - » Higher capacity protected service - 10’s of Mbps
 - » Interoperable with Ka MILSATCOM systems
 - Decision point in 2005 on polar system - EHF or UHF LPI

Transition Plan (Protected/Survivable Service)




Mobile Services

- Architecture Goal
 - Ensure adequate communications to forces on the move to support dominant maneuver & information superiority
- Transition Strategy
 - Sustain UHF through transition, decide in 2003-2005 on objective architecture for netted mobile, handheld, paging, and LDR broadcast
- Architect's Recommendations
 - Fly additional UHF spacecraft to ensure service
 - Examine future architecture alternatives:
 - » Enhanced military systems at lower altitude
 - » Improved GEO system
 - » UHF capability complemented by theater UAV
 - » Fully commercial service
 - Use DoD Mobile Satellite Services for cell phone/data/paging

MILSATCOM UHF Systems Proposal

- 8 satellite constellation at geosynchronous orbit
 - UFO through 2005
- Transition UHF System
 - UHF “gapfiller” system 2005-2010
 - » 3 satellites
 - » “Commercial” acquisition
- Objective UHF System
 - Decision point - 2003-2005
 - » Support 2010 first launch
 - Geosynchronous orbit UHF-Cellular system costed
 - Alternatives are:
 - » Mid-earth orbit UHF-cellular
 - » Geosynchronous orbit UHF with UAV complement

Transition Plan (Mobile Services)




High Capacity Service

- Architecture Goal
 - Ensure adequate communications to all echelons to support precision engagement
- Transition Strategy
 - Field a transponded, “Commercial Like” X-band and Ka system to meet significant demand for high capacity communications and global broadcast
- Architect’s Recommendations
 - Continue DSCS Service Life Enhancement Program
 - Launch to replenish DSCS or earlier to expand constellation and Ka/GBS capability sooner
 - » Use Ka for Global Broadcast, High Capacity, some protection
 - Investigate CRAF-like commercial agreements for military/commercial Ka

MILSATCOM X/Ka System Proposal

- 5 satellite constellation at geosynchronous orbit
 - DSCS through 2005
 - » 1 satellite of DSCS III
 - » 4 satellites of SLEP
 - Operational management until transition X/Ka flies
- Transition X/Ka System
 - X/Ka transponded system 2003/2006-2014
 - » “Commercial” acquisition for 2006 launch costed
 - Ka is backward compatible with UFO-GBS
 - Earlier start possible for GBS and/or high capacity demand
- Objective X/Ka System
 - Decision point in 2007 timeframe
 - » Support 2010 terminal acquisition
 - Processed X/Ka system

Transition Plan (High Capacity/Broadcast Services)



Terminals

- Architecture Goal
 - Provide superior information services at all levels with reduced infrastructure
- Transition Strategy
 - Assess terminal acquisitions and designs to facilitate transition to MILSATCOM objectives, C4ISR Architecture
- Architect's Recommendations
 - Provide higher data rate, protected services on mobile platforms
 - Reduce inventory of service unique, limited purpose terminals
 - Establish measurable goals to reduce O & S costs

MILSATCOM Terminals Proposal

- 22 terminal programs
 - 9 Army, 7 Navy, 5 Air Force, 1 DISA
- Transition 2003-2015
 - Terminal numbers increase from 6,000 to 29,000
 - Revisit current terminal strategies
 - Maintain backward compatibility with pre-2005 terminals
 - Implement terminal O&S costs reductions
- Objective
 - Multi-band terminals
 - » EHF/Ka
 - » Military Ka/Commercial Ka
 - Leverage commercial technology
 - » “Slice” radios
 - » Remotely reprogrammable
 - User operated (no SATCOM unique O&S)

Related Infrastructure

- Architecture Goal
 - Significantly reduce the communications “footprint”
- Transition Strategy
 - Integrate SATCOM systems with the DISN at all levels
- Architect’s Recommendations
 - Integrate DISN, SATCOM and GBS nodes
 - Implement a standard broadcast “module” (e.g 6 Mbps) that could be distributed on protected EHF/MDR, Ka GBS, fiber, etc
 - Support assessment of communication architecture, warfighting visions, weapons system communications needs
 - Provide a user-focused network management & control system

Technology Investment Recommendations

- **Antennas:**
 - Enable global access at high data rates, protection via nulling, CRAF implementation
 - Enable wideband communications to mobile users
- **Terminals**
 - Multi-band (e.g. X,Ka,EHF) - including commercial frequencies
 - Software reconfigurable to different waveforms
 - Breakthrough reduction in O&S
- **Components**
 - Rad-hard chips
- **Operations**
 - “Standard” integrated network management and control
 - “Networks” over PCS handheld

Cost Profile

