



E. I. DU PONT DE NEMOURS & COMPANY

WILMINGTON, DELAWARE

ENGINEERING DEPARTMENT

This document contains information affecting the national defense of the United States within the meaning of the Espionage Act, U. S. C., 50: 31 and 32 as amounted. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

This Document Consists of Page. No. 1 of 5 Copies Series A and attachments consist of two sets of three marked print

ADDRESS REPLY TO THIS DEPARTMENT ATTENTION OF

February 12, 1944

Brig. General L. R. Groves P. O. Box 2610 Washington, D. C.

HANFORD ENGINEER WORKS

Dear General Groves:

When you were in Wilmington on February 2 at a meeting in my office we discussed with you the Hanford construction schedule. At that time we brought to your attention the approximate number of construction employees and camp personnel that would be on the site at the start of the first unit and the two additional units. It will be necessary to maintain approximately this number of employees to meet the proposed schedule as discussed with you.

We are forwarding you herewith two sets of three marked maps indicating the number of people associated with our construction organization and the distance they will be working from the operating units. As you will observe at the start of the "B" unit there will be approximately 50,000 people within a 12-mile radius of the operating unit.

This large number of people working in so small an area in proximity to the operation has made us somewhat apprehensive and we would like to know from your office if you consider these distances, as given on the attached maps, safe with regard to the health hazard involved. We would like to be assured by your office that under conditions in which the performance of the operating unit did not proceed in a controllable manner and that all of the safety control mechanisms fail to function, the distances as given on our maps are adequate protection for the health and safety of the employees involved.

If these conditions as outlined are considered to be satisfactory will you kindly sign the three maps of one set and return them to this office.

 Linergy Commission CGMR: aed intention Brunch

Very truly yours,

G. M. Read,

ASST. CHIEF ENGINEER



DECLASSIFIED Authority NND92440 BIDM WLLA

P. O. BOX 2610 WASHINGTON, D. C. 23 March 1944.

Mr. G. M. Read, Ass't. Chief Engineer, E. I. du Pont de Nemours & Company, Wilmington, Delaware.

Donr Mr. Read:

In reply to your letter of 12 February I am returning herewith a set of three marked maps on which I have placed my signature as you requested. I have discussed this question with the scientific group and as a result of my discussion with them, it is my opinion, as well as theirs, that the distances on the maps ensure proper protection for the health and anisty of the employees involved.

Sincerely,

This document contains information affecting the national defense of the United States within the marring of the Espionage Act, 50 U.S. C., 31 and 52 as amended. Its transmission on the revolution of its contents in any manner to an unauthorized person is prohibited by law.

Incls.:

Set of 3 maps.

L. H. GHOVES, Major General, C. E.

attached maps in brown envelope hoch of fele.

CLANTE 2/23/61

Liverey Company

Chie

Know

rication by sky

SEGREV

DECLASSIFIED
Authority NND92440